<120> Method of detecting a gene which is influenced by an environmental endocrine

<130> 661516

<150> JP 10-310285

<151> 1998-10-30

<160> 62

<210> 1

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Designed oligonucleotide primer to amplify Smad3 mRNA.

<400> 1

caggtgtccc atcggaagg

19

<210> 2

<211> 22

<212> DNA

<213> Artificial Sequence

<220>	
<223> Designed oligonucleotide primer to amplify Smad3 mRNA.	
<400> 2	
ctctctggta gtggtaggga tt	22
40.10	
<210> 3	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<pre>&lt;223&gt; Designed oligonucleotide primer to amplify VEGF receptor m</pre>	-DNIA
(223) besigned origonacteoride primer to amplify viol receptor m	iiuna.
<400> 3	
tacaagatcg acgttagctc	20
<210> 4	
<211≻ 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
$\langle 223 \rangle$ Designed oligonucleotide primer to amplify VEGF receptor m	ıRNA.
<400> 4	
cagccaaatt cacagttaaa	20

<210> 5 <211> 24 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide primer to amplify ACTR mRNA. <400> 5 gctttgaaga tataatccga aggt 24 <210> 6 <211> 25 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide primer to amplify ACTR mRNA. <400> 6 25 ggcctggtga tgacagagta gataa <210> 7 <211> 24 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide primer to amplify N-CoR/SMRT mRNA.

<212> DNA

<400> 7 tatggaggac cctatgaaag tgta 24 <210> 8 <211> 25 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide primer to amplify N-CoR/SMRT mRNA. <400> 8 ttacgaccat gttctactag acctt 25 ⟨210⟩ 9 <211> 20 <212> DNA <213> Artificial Sequence <220>  $\langle 223 \rangle$  Designed oligonucleotide primer to amplify efp mRNA. <400> 9 cgccgtgaag acgtgcttgg 20 <210> 10 <211> 25

- /	
<213> Artificial Sequence	
<220>	
<223> Designed oligonucleotide primer to amplify efp mRNA.	
<400> 10	
tcttggtcag gctctgttca atctc	25
<210> 11	
<211> 16 .	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Designed oligonucleotide primer to amplify c-Myc-1 mRNA.	
<400> 11	
cgccaagctc gtctca	16
<210> 12	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
⟨220⟩	
<223> Designed oligonucleotide primer to amplify c-Myc-1 mRNA.	
<400> 12	
tcaactgttc tcgtcgtttc	20

```
<210> 13
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Designed oligonucleotide primer to amplify vitamin D receptor mRNA.
<400> 13
                                                                     21
caaacgctgt gtggacatcg g
<210> 14
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Designed oligonucleotide primer to amplify vitamin D receptor mRNA.
<400> 14
ttctggatca tcttggcata gag
                                                                     23
<210> 15
<211> 20
<212> DNA
<213> Artificial Sequence
```

<220> <223> Designed oligonucleotide primer to amplify c-Myc-2 mRNA. <400> 15 20 gtagtaattc cagcgagagg <210> 16 <211> 19 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide primer to amplify c-Myc-2 mRNA. <400> 16 19 ctatgggcaa agtttcgtg <210> 17 <211> 20 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide primer to amplify Bax mRNA. <400> 17 tgttttctga cggcaacttc 20

<210> 18

<211> 17 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide primer to amplify Bax mRNA. <400> 18 17 gagcactccc gccacaa <210> 19 <211> 19 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide primer to amplify JNK1 mRNA. <400> 19 19 gagcagaagc aagcgtgac <210> 20 <211> 20 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide primer to amplify JNK1 mRNA.

<400> 20	
gacattgatg tacgggtgtt	20
<210> 21	
<211> 17	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Designed oligonucleotide primer to amplify p38 mRNA.	
<400> 21	
	17
gtgcccgagc gttacca	11
<210> 22	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
⟨220⟩	
<223> Designed oligonucleotide primer to amplify p38 mRNA.	
<400≻ 22	
aaagttcatc ttcggcatct	20
<210≻ 23	
<211≻ 20	
<212> DNA	
<213> Artificial Sequence	

<220>	
<223> Designed oligonucleotide primer to amplify TRIP 1 mRNA.	
<400≻ 23	
aaatgctaaa gttcgcctat	20
<210> 24	
<211> 18	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Designed oligonucleotide primer to amplify TRIP 1 mRNA.	
<400> 24	
acatggactc gccgttct	18
⟨210⟩ 25	
<211> 18	
<212> DNA	
<213> Artificial Sequence	
⟨220⟩	
$\langle 223 \rangle$ Designed oligonucleotide primer to amplify ARA 70 mRNA.	
<400> 25	
agttgcataa gccgtcac	18

<210> 26 <211> 20 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide primer to amplify ARA 70 mRNA. <400> 26 20 actagccaat ctgataggtc <210> 27 <211> 20 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide primer to amplify insulin receptor mRNA. <400> 27 20 gctgccacca atacgtcatt <210> 28 <211> 19 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide primer to amplify insulin receptor mRNA.

<400> 28	
gcatcctgcc catcgaact 19	)
<210> 29	
<211> 25	
<212> DNA	
<213> Artificial Sequence	
⟨220⟩	
<223> Designed oligonucleotide primer to amplify PDGF receptor mRNA.	
<400> 29	
tcaccattcc atgccgagta acaga 25	,
(0.1.0.)	
<210> 30 · · · · · · · · · · · · · · · · · ·	
<211> 22	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Designed oligonucleotide primer to amplify PDGF receptor mRNA.	
(223) Designed Offgondereotide primer to amplify roof receptor midva.	
<400> 30	
aggacagtgg gcggtgggta gg 22	)
<210> 31	
<211> 20	
<212> DNA	

<213> Artificial Sequence	
<220>	
<223> Designed oligonucleotide primer to amplify CSF1 receptor-2 mR	NA.
<400> 31	
ccaccctgaa tgaagtcaac	20
<210≻ 32	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
⟨220⟩	
<223> Designed oligonucleotide primer to amplify CSF1 receptor-2 mR	NA.
<400> 32	
ggtggatgga ttaagactga	20
<210> 33	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
•	
⟨220⟩	
<223> Designed oligonucleotide primer to amplify FGF receptor mRNA.	
⟨400⟩ 33	
cagacteegg cetetatget	20

<220>

<210> 34 <211> 20 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide primer to amplify FGF receptor mRNA. <400> 34 20 gggcttccag aacggtcaac <210> 35 <211> 23 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide primer to amplify p38 gamma mRNA. <400> 35 23 tgatcgggct gctggacgta ttc <210> 36 <211> 25 <212> DNA <213> Artificial Sequence

<211> 20


<223> Designed oligonucleotide primer to amplify p38 gamma mRNA.	
<400> 36	
agagggcttg cattggtcag gatag	25
<210> 37	
<211> 22	
<212> DNA	
<213> Artificial Sequence	
(000)	
<220>	
<223> Designed oligonucleotide primer to amplify Bcl-X mRNA.	
<400> 37	
ccgggagctg gtggttgact tt	22
coggagotg giggitgact it	22
<210> 38	
<211> 21	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Designed oligonucleotide primer to amplify Bcl-X mRNA.	
<400> 38	
ttettaccea geegeegtte t	21
<210> 39	

<400> 41

```
<212> DNA
<213> Artificial Sequence
<220>
<223> Designed oligonucleotide primer to amplify c-Myc-3 mRNA.
<400> 39
                                                                     20
gtagtaattc cagcgagagg
<210> 40
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Designed oligonucleotide primer to amplify c-Myc-3 mRNA.
<400> 40
                                                                     19
ctatgggcaa agtttcgtg
<210> 41
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Designed oligonucleotide primer to amplify pS2 protein mRNA.
```

ggcccagaca gagacgtgta	20
<210> 42	
<210 42 <211> 22	
<2117 22 <212> DNA	
<213> Artificial Sequence	
· · · · · · · · · · · · · · · · · · ·	
<220>	
<223> Designed oligonucleotide primer to amplify pS2 protein mRNA.	
<400> 42	
gctcgatggt attaggatag aa	22
(010)	
<210> 43	
<211> 19	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Designed oligonucleotide primer to amplify lactoferrin mRNA.	
<400> 43	
ggagctgcgc aagtgtaac	19
(010) 44	
<210> 44	
<211> 20	
<212> DNA	
<213> Artificial Sequence	


<220>	
$\ensuremath{\texttt{\langle 223\rangle}}$ Designed oligonucleotide primer to amplify lactoferrin mRNA.	
<400> 44	
attagtaatg cctgcgacat	20
<210> 45	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
⟨220⟩	
<223> Designed oligonucleotide primer to amplify RIP 140 mRNA.	
<400> 45	
gcctctttgc ttcagtcatt	20
geotettige ticagicati	20
(010) 46	
<210> 46	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Designed oligonucleotide primer to amplify RIP 140 mRNA.	
<400> 46	
ttggcttagg tatagtctgg	20
<210> 47	
\\(\alpha\) \(\tau\)	



<400> 49	
tatagtgtcc aagtggcaga ctcaa	25
<210> 50	
<211> 23	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Designed oligonucleotide primer to amplify JNK2 mRNA.	
<400> 50	
atgtatgggt gacgcagagc ttc	23
<210> 51	
<211> 24	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Designed oligonucleotide primer to amplify Bax delta mRNA.	
<400> 51	
gatgattgcc gccgtggaca caga	24
<210> 52	
<211> 25	
<212> DNA	
<213> Artificial Sequence	

<220>	
<223> Designed oligonucleotide primer to amplify Bax delta mRNA.	
⟨400⟩ 52	
ggtgagcact cccgccacaa agatg	25
(010) F2	
<210> 53	
<211> 25	
<212> DNA	
<213> Artificial Sequence	
<220>	
<pre>&lt;223&gt; Designed oligonucleotide primer to amplify BMK-1 mRNA.</pre>	
<400> 53	
ttaaagcccg ctccttcgat gtgac	25
<210> 54	
⟨211⟩ 23	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Designed oligonucleotide primer to amplify BMK-1 mRNA.	
<400> 54	
ggcggtcggc acctgggtac act	23

<210> 55	
⟨211⟩ 25	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Designed oligonucleotide primer to amplify BMK-2 mRNA.	
<400> 55	
ggtggccatc aagaagatcc ctaat	25
(010) - 50	
<210> 56	
<211> 24	
<212> DNA	
<213> Artificial Sequence	
<220>	
<pre>&lt;223&gt; Designed oligonucleotide primer to amplify BMK-2 mRNA.</pre>	
<400> 56	
cctcacgcct tgcatggaag tcct	24
<210> 57	
⟨211⟩ 25	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Designed oligonucleotide primer to amplify Src-1 mRNA.	



<210> 60

<211> 23

<212> DNA



## <213> Artificial Sequence

<220>

<223> Designed oligonucleotide primer to amplify p300/CBP mRNA.

<400> 60

ttagagctgc gggatcaggt gtt

2:

<210> 61

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Designed oligonucleotide primer to amplify  $\beta$ -actin mRNA.

<400> 61

caagagatgg ccacggctgc t

21

<210> 62

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

 $\langle 223 \rangle$  Designed oligonucleotide primer to amplify  $\beta$ -actin mRNA.

<400> 62

tccttctgca tcctgtcggc a